

Package: `aplot` (via r-universe)

September 7, 2024

Title Decorate a 'ggplot' with Associated Information

Version 0.2.3

Description For many times, we are not just aligning plots as what 'cowplot' and 'patchwork' did. Users would like to align associated information that requires axes to be exactly matched in subplots, e.g. hierarchical clustering with a heatmap. This package provides utilities to aligns associated subplots to a main plot at different sides (left, right, top and bottom) with axes exactly matched.

Depends R (>= 4.1.0)

Imports ggfun (>= 0.1.3), ggplot2, ggplotify, patchwork, magrittr, methods, utils

Suggests ggtree

URL <https://github.com/YuLab-SMU/aplot>, <https://yulab-smu.top/aplot/>

License Artistic-2.0

Encoding UTF-8

RoxygenNote 7.3.1

Repository <https://yulab-smu.r-universe.dev>

RemoteUrl <https://github.com/yulab-smu/aplot>

RemoteRef HEAD

RemoteSha d552739c5cbe4f1cb5eace4dff0bdd0e2ebc59ee

Contents

| | |
|------------------------|---|
| as.patchwork | 2 |
| glist | 2 |
| glistGrob | 3 |
| insert_left | 3 |
| plot_list | 4 |
| xlab2 | 6 |
| xlim2 | 6 |

Index

8

as.patchwork *as.patchwork*

Description

`as.patchwork`

Usage

```
as.patchwork(x, align = getOption("aplot_align", default = "xy"))
```

Arguments

| | |
|-------|--|
| x | object |
| align | "x","y","xy","none", align the axis of x/y or not. |

gglist *construct a ‘gglist’ object*

Description

construct a ‘gglist’ object that contains a list of plots (‘gglist’) and parameters (via ‘...’), the object can be displayed via the ‘plot_list()’ function.

Usage

```
gglist(gglist, ...)
```

Arguments

| | |
|--------|--------------------------------------|
| gglist | a list of plots |
| ... | parameters for plotting the ‘gglist’ |

Value

gglist object

Author(s)

Guangchuang Yu

gglistGrob*This function converts 'gglist' object to grob (i.e. gtable object)*

Description**title** gglistGrob**Usage**

gglistGrob(x)

Arguments

x A 'gglist' object

Value

A 'gtable' object

insert_left*plot-insertion*

Description

insert an associated plot to left, right, top and bottom of a main plot

Usage

insert_left(.data, plot, width = 1)

insert_right(.data, plot, width = 1)

insert_top(.data, plot, height = 1)

insert_bottom(.data, plot, height = 1)

Arguments

.data an 'aplot' or 'gg' object

plot a 'gg' plot to be inserted

width relative width to the main plot

height relative height to the main plot

Details

The first input serve as a main plot, and other plots can be progressively inserted to different sides on left, right, top and bottom.

Value

an 'aplot' object

Author(s)

Guangchuang Yu

Examples

```
library(ggplot2)
library(aplot)

p <- ggplot(mtcars, aes(mpg, disp)) + geom_point()
p2 <- ggplot(mtcars, aes(mpg)) +
  geom_density(fill='steelblue', alpha=.5) +
  ggrepel::theme_noxaxis()
p3 <- ggplot(mtcars, aes(x=1, y=disp)) +
  geom_boxplot(fill='firebrick', alpha=.5) +
  theme_void()
ap <- p %>%
  insert_top(p2, height=.3) %>%
  insert_right(p3, width=.1)

ap
ap[2, 1] <- ap[2, 1] + theme_bw()
ap[2, 1] <- ap[2, 1] +
  aes(color = as.factor(am)) +
  scale_color_manual(values = c('steelblue', 'darkgreen'))
ap[1, 1] <- ap[1, 1] + theme(axis.line.x.bottom=element_line())
ap
```

plot_list

plot a list of ggplot objects

Description

plot a list of ggplot objects using patchwork, similar to ‘cowplot::plot_grid(plotlist)‘

Usage

```
plot_list(
  ...,
  gglist = NULL,
  ncol = NULL,
```

```
nrow = NULL,  
byrow = NULL,  
widths = NULL,  
heights = NULL,  
guides = NULL,  
labels = NULL,  
tag_levels = NULL,  
tag_size = 14,  
design = NULL,  
output = "patchwork"  
)
```

Arguments

| | |
|------------|---|
| ... | list of plots to be arranged |
| gglister | (optional) list of plots |
| ncol | number of columns |
| nrow | number of rows |
| byrow | If "FALSE" the plots will be filled in in column-major order |
| widths | relative widths |
| heights | relative heights |
| guides | A string specifying how guides should be treated in the layout. |
| labels | manual specified labels to label plots |
| tag_levels | format to label plots, will be disable if 'labels' is not NULL |
| tag_size | size of tags |
| design | specification of the location of areas in the layout |
| output | one of 'gglister' or 'patchwork' |

Value

composite plot

Author(s)

Guangchuang Yu

| | |
|-------|---|
| xlab2 | <i>display x or y axis label as an ordinary text, so that the label will not be aligned with axis label of another plot</i> |
|-------|---|

Description

display x or y axis label as an ordinary text, so that the label will not be aligned with axis label of another plot

Usage

```
xlab2(label, fontsize = 11, ...)
ylab2(label, fontsize = 11, ...)
```

Arguments

| | |
|----------|---------------------------------------|
| label | axis label |
| fontsize | fontsize of the label |
| ... | additional parameter passed to ‘gpar‘ |

Value

gg object with new label

Author(s)

Guangchuang Yu

| | |
|-------|--------------|
| xlim2 | <i>xlim2</i> |
|-------|--------------|

Description

set axis limits (x or y) of a ‘ggplot‘ object (left hand side of ‘+‘) based on the x (‘xlim2‘) or y (‘ylim2‘) limits of another ‘ggplot‘ object (right hand side of ‘+‘). This is useful for using ‘cowplot‘ or ‘patchwork‘ to align ‘ggplot‘ objects.

Usage

```
xlim2(gg, limits = NULL)
ylim2(gg, limits = NULL)
```

Arguments

gg ggplot object
limits vector of limits. If NULL, determine from ‘gg’.

Value

ggplot2 object with new limits

Author(s)

Guangchuang Yu

Examples

```
library(ggplot2)
library(aplot)
p1 <- ggplot(mtcars, aes(cyl)) + geom_bar()
p2 <- ggplot(subset(mtcars, cyl != 4), aes(cyl)) + geom_bar()
p2 + xlim2(p1)
```

Index

```
as.patchwork, 2
gglist, 2
gglistGrob, 3
insert_bottom(insert_left), 3
insert_left, 3
insert_right(insert_left), 3
insert_top(insert_left), 3
plot_list, 4
xlab2, 6
xlim2, 6
ylab2(xlab2), 6
ylim2(xlim2), 6
```