

Package: `aplotExtra` (via r-universe)

August 20, 2024

Title Creating Composite Plots using 'aplot'

Version 0.0.2.001

Description Many complex plots are actually composite plots, such as 'oncoplot', 'funkyheatmap', 'upsetplot', etc. We can produce subplots using 'ggplot2' and combine them to create composite plots using 'aplot'. In this way, it is easy to customize these complex plots, by adding, deleting or modifying subplots in the final plot. This package provides a set of utilities to help users to create subplots and complex plots.

Depends R (>= 4.1.0)

Imports `aplot` (>= 0.2.3), `dplyr`, `forcats`, `ggfun` (>= 0.1.1), `ggplot2`, `grid`, `maftools`, `purrr`, `rlang`, `tibble`, `tidyR`, `utils`, `ggstar`, `yulab.utils` (>= 0.0.8)

Suggests `ggtree`, `data.table`, `RColorBrewer`, `R.utils`

URL <https://github.com/YuLab-SMU/aplotExtra>

License Artistic-2.0

Encoding UTF-8

RoxygenNote 7.3.1

Roxygen list(markdown = TRUE)

Repository <https://yulab-smu.r-universe.dev>

RemoteUrl <https://github.com/yulab-smu/aplotextra>

RemoteRef HEAD

RemoteSha f5e0e12585325bdab8b0ab185aadc1d3c299dd8d

Contents

| | |
|--|---|
| <code>funky_bar</code> | 2 |
| <code>funky_heatmap</code> | 2 |
| <code>funky_point</code> | 3 |
| <code>funky_text</code> | 4 |
| <code>get_all_subsets</code> | 4 |

| | |
|----------------------|---|
| oncoplot | 5 |
| upset_plot | 5 |

Index

7

| | |
|------------------|------------------|
| <i>funky_bar</i> | <i>funky_bar</i> |
|------------------|------------------|

Description

create bar plot for funkyheatmap

Usage

```
funky_bar(data, cols)
```

Arguments

| | |
|------|------------------|
| data | data frame |
| cols | selected columns |

Value

ggplot object

Author(s)

Guangchuang Yu

| | |
|----------------------|----------------------|
| <i>funky_heatmap</i> | <i>funky_heatmap</i> |
|----------------------|----------------------|

Description

create a funkyheatmap

Usage

```
funky_heatmap(..., data = NULL, widths = NULL, options = NULL)
```

Arguments

| | |
|---------|---|
| ... | funky plots (e.g., outputs of <code>funky_point</code> , <code>funky_bar</code> , etc.) |
| data | If data is provided, create a funkyheatmap from it. Otherwise, create composite plot from ... |
| widths | relative widths of the plots |
| options | any ggplot component that can be added to the plots |

Value

gglist object

Author(s)

Guangchuang Yu

funky_point

funky_point

Description

create dot plot for funkyheatmap

Usage

```
funky_point(data, cols, cols2 = NULL, ...)
```

Arguments

| | |
|-------|---|
| data | data frame |
| cols | selected columns |
| cols2 | selected columns to keep names |
| ... | additional parameters, passing to geom_star |

Value

ggplot object

Author(s)

Guangchuang Yu

| | |
|------------|-------------------|
| funky_text | <i>funky_text</i> |
|------------|-------------------|

Description

create text plot (i.e., rownames) for funkyheatmap

Usage

```
funky_text(data, cols = 1, hjust = 0)
```

Arguments

| | |
|-------|---------------------------|
| data | data frame |
| cols | selected column |
| hjust | text alignment adjustment |

Value

ggplot object

Author(s)

Guangchuang Yu

| | |
|-----------------|---|
| get_all_subsets | <i>Get the items/names/ids of subsets from a named list</i> |
|-----------------|---|

Description

Get the items/names/ids of subsets from a named list

Usage

```
get_all_subsets(list, name_separator = "/")
```

Arguments

| | |
|----------------|--------------|
| list | a named list |
| name_separator | default is / |

Value

a tibble

Examples

```
list = list(A = sample(LETTERS, 20),
            B = sample(LETTERS, 22),
            C = sample(LETTERS, 24),
            D = sample(LETTERS, 30, replace = TRUE))
get_all_subsets(list)
```

oncoplot*ploting oncoplot with aplot***Description**

ploting oncoplot with aplot

Usage

```
oncoplot(maf, genes = 20)
```

Arguments

| | |
|-------|--|
| maf | MAF object. |
| genes | the gene names or the number, default is 20. |

Value

oncoplot object, which is also a aplot object

Examples

```
laml.maf <- system.file("extdata", "tcga_laml.maf.gz", package = "maftools")
laml.clin <- system.file('extdata', 'tcga_laml_annot.tsv', package = 'maftools')
laml <- maftools:::read.maf(maf = laml.maf, clinicalData = laml.clin)
oncoplot(maf = laml, genes = 20)
```

upset_plot*upsetplot2***Description**

Plot a upset plot

Usage

```
upset_plot(
  list,
  nintersects = NULL,
  order.intersect.by = c("size", "name"),
  order.set.by = c("size", "name")
)
```

Arguments

| | |
|---------------------------------|---|
| <code>list</code> | a list of sets |
| <code>nintersects</code> | number of intersects. If NULL, all intersections will show. |
| <code>order.intersect.by</code> | one of 'size' or 'name' |
| <code>order.set.by</code> | one of 'size' or 'name' |

Details

This function generate a upset plot by creating a composite plot which contains subplots generated by ggplot2.

Value

an upset plot

Examples

```
list = list(A = sample(LETTERS, 20),
            B = sample(LETTERS, 22),
            C = sample(LETTERS, 14),
            D = sample(LETTERS, 30, replace = TRUE))
upset_plot(list)
upset_plot(list, order.intersect.by = "name")
upset_plot(list, nintersects = 6)
```

Index

funky_bar, 2
funky_heatmap, 2
funky_point, 3
funky_text, 4

geom_star, 3
get_all_subsets, 4

oncoplot, 5

upset_plot, 5