

Package: ggfun (via r-universe)

October 24, 2024

Title Miscellaneous Functions for 'ggplot2'

Version 0.1.7

Description Useful functions and utilities for 'ggplot' object (e.g., geometric layers, themes, and utilities to edit the object).

Depends R (>= 4.1.0)

Imports cli, dplyr, ggplot2, grid, rlang, utils, yulab.utils (>= 0.1.6)

Suggests ggplotify, knitr, rmarkdown, prettydoc, tidyr, ggnewscale

VignetteBuilder knitr

ByteCompile true

License Artistic-2.0

Encoding UTF-8

URL <https://github.com/YuLab-SMU/ggfun>

BugReports <https://github.com/YuLab-SMU/ggfun/issues>

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.2

Repository <https://yulab-smu.r-universe.dev>

RemoteUrl <https://github.com/yulab-smu/ggfun>

RemoteRef HEAD

RemoteSha 31175bdc3ed331db6b5e70eddde84363128c3

Contents

element_blinds	2
element_roundrect	3
facet_set	4
geom_cake	5
geom_scatter_rect	5
geom_segment_c	6

geom_triangle	8
geom_volpoint	8
get_aes_var	9
get_legend	10
get_plot_data	10
ggbreak2ggplot	11
gglegend	11
identify.gg	12
is.ggbreak	13
is.ggtree	13
keybox	14
set_font	14
set_point_legend_shape	15
td_filter	16
td_mutate	17
td_unnest	17
theme_blinds	18
theme_fp	19
theme_nothing	20
theme_noxaxis	20
theme_no_margin	21
theme_stamp	21
theme_transparent	22
volplot	22
yrange	23
%<+%	23

Index **25**

element_blinds *this element is used to control the line color of
panel.grid.major/minor.x or panel.grid.major/minor.y*

Description

this element is used to control the line color of panel.grid.major/minor.x or panel.grid.major/minor.y

Usage

```
element_blinds(
  colour = c("white", "grey60"),
  axis,
  color = NULL,
  inherit.blank = FALSE
)
```

Arguments

colour	the colour of rectangular, default is c('white', 'grey60').
axis	character, require, option is y or x.
color	Color is an alias for colour
inherit.blank	Should this element inherit the existence of an element_blank among its parents? If TRUE the existence of a blank element among its parents will cause this element to be blank as well. If FALSE any blank parent element will be ignored when calculating final element state.

Examples

```
library(ggplot2)
df <- data.frame(
  x = rep(c(2, 5, 7, 9, 12), 2),
  y = rep(c(1, 2), each = 5),
  z = factor(rep(1:5, each = 2)),
  w = rep(diff(c(0, 4, 6, 8, 10, 14)), 2)
)
ggplot(df, aes(x, y)) + geom_tile(aes(fill = z), colour = 'grey50') +
  theme(panel.grid.major.y = element_blinds(color= c('white', 'grey'), axis='y'))
```

element_roundrect *round rectangle borders and backgrounds*

Description

round rectangle borders and backgrounds

Usage

```
element_roundrect(
  fill = NULL,
  colour = NULL,
  size = NULL,
  linetype = NULL,
  color = NULL,
  r = grid::unit(0.1, "snpc"),
  inherit.blank = FALSE
)
```

Arguments

fill	Fill colour.
colour, color	Line/border colour. Color is an alias for colour.
size	text size in pts.

linetype	Line type. An integer (0:8), a name (blank, solid, dashed, dotted, dottedash, longdash, twodash), or a string with an even number (up to eight) of hexadecimal digits which give the lengths in consecutive positions in the string.
r	the radius of the rounded corners, a unit object, default is <code>unit(0.1, 'snpc')</code> .
inherit.blank	Should this element inherit the existence of an <code>element_blank</code> among its parents? If TRUE the existence of a blank element among its parents will cause this element to be blank as well. If FALSE any blank parent element will be ignored when calculating final element state.

Examples

```
library(ggplot2)
p <- ggplot(mpg, aes(displ, cty)) + geom_point()
p <- p + facet_grid(cols = vars(cyl))
p <- p + theme(strip.background=element_roundrect(fill="grey40", color=NA, r=0.15))
p
p2 <- ggplot(mtcars, aes(mpg, disp, color=factor(cyl), size=cyl)) +
  geom_point()
p2 + theme(legend.background=element_roundrect(color="#808080", linetype=2))
```

facet_set

facet_set

Description

add a facet label to a ggplot or change facet label of a ggplot

Usage

```
facet_set(label, side = "t", angle = NULL)
```

Arguments

label	a character or a named vector to label the plot
side	to label the plot at which side, either 't' (top) or 'r' (right)
angle	angle of the facet label. Default is 0 for side='t' and -90 for side='r'.

Value

a ggplot with facet label

geom_cake	<i>geom_cake</i>
-----------	------------------

Description

ggplot2 layer of birthday cake

Usage

```
geom_cake(mapping = NULL, data = NULL, ...)
```

Arguments

mapping	aes mapping
data	data
...	additional parameters

Value

ggplot2 layer

Author(s)

Guangchuang Yu

Examples

```
library(ggplot2)
ggplot(mtcars, aes(mpg, disp)) + geom_cake()
library(ggplot2)
ggplot(mtcars, aes(mpg, disp)) + geom_cake()
```

geom_scatter_rect	<i>geom_scatter_rect</i>
-------------------	--------------------------

Description

draw rectangle boxes as scatter points

Usage

```
geom_scatter_rect(
  mapping = NULL,
  data = NULL,
  asp = 0.6,
  width = 0.8,
  height = NULL,
  ...
)
```

Arguments

mapping	aesthetic mapping, default is NULL
data	input data, default is NULL
asp	aspect ration of rectangle box (height vs width), only works for height is missing
width	width of the rectangles, default is 0.8
height	height of the rectangles
...	additional parameters passed to 'geom_rect'

Author(s)

Guangchuang Yu

geom_segment_c	<i>geom_segment_c</i>
----------------	-----------------------

Description

geom_segment_c supports coloring segment with continuous colors

Usage

```
geom_segment_c(
  mapping = NULL,
  data = NULL,
  position = "identity",
  lineend = "butt",
  na.rm = FALSE,
  show.legend = NA,
  inherit.aes = TRUE,
  arrow = NULL,
  arrow.fill = NULL,
  ...
)
```

Arguments

mapping	aes mapping
data	data
position	position
lineend	lineend
na.rm	logical
show.legend	logical
inherit.aes	logical
arrow	specification for arrow heads, as created by arrow().
arrow.fill	fill color to use for the arrow head (if closed). NULL means use colour aesthetic.
...	additional parameter

Value

add segment layer

Author(s)

Guangchuang Yu

See Also

[geom_segment](#)

Examples

```
set.seed(2019-06-28)
d = data.frame(x = rnorm(10),
               xend = rnorm(10),
               y = rnorm(10),
               yend = rnorm(10),
               v1 = rnorm(10),
               v2 = rnorm(10))
library(ggplot2)
ggplot(d) + geom_segment_c(aes(x = x, xend = xend, y=y, yend =yend, col0 = v1, col1 = v2)) +
  scale_color_viridis_c(name = "continuous colored lines") +
  theme_minimal() + theme(legend.position=c(.2, .85)) + xlab(NULL) + ylab(NULL)
```

geom_triangle *geom_triangle*

Description

ggplot2 layer of triangle

Usage

```
geom_triangle(mapping = NULL, data = NULL, ...)
```

Arguments

mapping	aes mapping
data	data
...	additional parameters

Value

ggplot2 layer

Author(s)

Shipeng Guo

Examples

```
library(ggplot2)
ggplot(mtcars, aes(mpg, disp)) + geom_triangle()
```

geom_volpoint *geom_volpoint*

Description

layer of scatter points for volcano plot to visualize differential genes

Usage

```
geom_volpoint(
  mapping = NULL,
  data = NULL,
  log2FC_cutoff = 2,
  p_cutoff = 1e-05,
  ...
)
```


Arguments

mapping	aesthetic mapping
data	input data set
log2FC_cutoff	cutoff values for log2FC
p_cutoff	cutoff values p-value or adjusted p-value
...	additional paramters passed to the layer

Value

a ggplot

get_aes_var *get_aes_var*

Description

extract aes mapping, compatible with ggplot2 < 2.3.0 & > 2.3.0

Usage

```
get_aes_var(mapping, var)
```

Arguments

mapping	aes mapping
var	variable

Value

mapped var

Author(s)

Guangchuang Yu

get_legend	<i>get_legend</i>
------------	-------------------

Description

extract legend from a plot

Usage

```
get_legend(plot)
```

Arguments

plot a gg or gtable object

Value

a 'gtable' object of the legend

Author(s)

Guangchuang Yu

get_plot_data	<i>get_plot_data</i>
---------------	----------------------

Description

extract data from a 'gg' plot

Usage

```
get_plot_data(plot, var = NULL, layer = NULL)
```

Arguments

plot a 'gg' plot object
var variables to be extracted
layer specific layer to extract the data

Value

a data frame of selected variables

Author(s)

Guangchuang Yu

ggbreak2ggplot	<i>ggbreak2ggplot</i>
----------------	-----------------------

Description

convert a ggbreak object to a ggplot object

Usage

```
ggbreak2ggplot(plot)
```

Arguments

plot a ggbreak object

Value

a ggplot object

Author(s)

Guangchuang Yu

gglegend	<i>gglegend</i>
----------	-----------------

Description

add manual setting legend

Usage

```
gglegend(mapping, data, geom, p = NULL)
```

Arguments

mapping aes mapping for the 'geom'. The first mapping should be the one for the legend, while others maybe needed for the 'geom' (e.g., label for geom_text).

data input data frame. If users want to mapping 'VALUE' to 'colour', the input data should contains 'VALUE' and 'colour' (actual value, e.g., 'red' and 'blue') variable.

geom a geom to plot the data for generating the legend and the geom will be plotted invisible.

p a ggplot object. If NULL, the 'last_plot()' will be used.

Details

add additional legend to a ggplot

Value

a ggplot object

Author(s)

Guangchuang Yu

Examples

```
library(ggplot2)
p <- ggplot(mtcars, aes(mpg, disp)) + geom_point()
data <- data.frame(colour = c("red", "blue"), VALUE = c("A", "B"))
gglegend(aes(colour = VALUE, label=VALUE), data, geom_text, p)
```

identify.gg

identify

Description

identify node by interactive click

Usage

```
## S3 method for class 'gg'
identify(x = last_plot(), col = "auto", ...)
```

Arguments

x	tree view
col	selected columns to extract. Default is "auto" which will select all columns for 'ggplot' object and 'node' column for 'ggtree' object
...	additional parameters, normally ignored

Value

closest data point

Author(s)

Guangchuang Yu

is.ggbreak *is.ggbreak*

Description

check whether a plot is a ggbreak object (including 'ggbreak', 'ggwrap' and 'ggcut' that defined in the 'ggbreak' package)

Usage

`is.ggbreak(plot)`

Arguments

`plot` a plot object

Value

logical value

Author(s)

Guangchuang Yu

is.ggtree *is.ggtree*

Description

test whether input object is produced by ggtree function

Usage

`is.ggtree(x)`

Arguments

`x` object

Value

TRUE or FALSE

Author(s)

Guangchuang Yu

keybox	<i>keybox</i>
--------	---------------

Description

draw border for each of the ggplot legends

Usage

```
keybox(p, grob = "roundrect", gp = NULL)
```

Arguments

p	a ggplot object
grob	one of 'rect' or 'roundrect'
gp	graphic parameter

Value

grob object

Author(s)

Guangchuang Yu

Examples

```
library(ggplot2)
p <- ggplot(mtcars, aes(mpg, disp, color=factor(cyl), size=cyl)) + geom_point()
keybox(p, 'roundrect', gp = gpar(col = '#808080', lty = "dashed"))
```

set_font	<i>set_font</i>
----------	-----------------

Description

setting font for ggplot (axis text, label, title, etc.)

Usage

```
set_font(p, family = "sans", fontface = NULL, size = NULL, color = NULL)
```

Arguments

p	ggplot object
family	font family
fontface	font face
size	font size
color	font color

Value

TableGrob object

Author(s)

Guangchuang Yu

Examples

```
library(grid)
library(ggplot2)
d <- data.frame(x=rnorm(10), y=rnorm(10), lab=LETTERS[1:10])
p <- ggplot(d, aes(x, y)) + geom_text(aes(label=lab), size=5)
set_font(p, family="Times", fontface="italic", color='firebrick')
```

set_point_legend_shape

set_point_legend_shape

Description

override point legend set by 'aes(shape = I(shape))'

Usage

```
set_point_legend_shape(plot)
```

Arguments

plot	a 'gg' plot object
------	--------------------

Value

an updated plot

Author(s)

Guangchuang Yu

td_filter	<i>td-filter</i>
-----------	------------------

Description

filter data for tree annotation layer

Usage

```
td_filter(..., .f = NULL)
```

Arguments

...	Expressions that return a logical value.
.f	a function (if any, defaults to NULL) that pre-operate the data

Details

The 'td_filter()' function returns another function that can be used to subset ggtree() plot data. The function can be passed to the 'data' parameter of geom layer to perform subsetting. All rows that satisfy your conditions will be retained.

Value

A function to filter ggtree plot data using conditions defined by '...'.

Author(s)

Guangchuang Yu

References

For more detailed demonstration of this function, please refer to chapter 12.5.1 of *Data Integration, Manipulation and Visualization of Phylogenetic Trees* <http://yulab-smu.top/treedata-book/index.html> by Guangchuang Yu.

See Also

[filter](#)

Examples

```
## Not run:  
tree <- rtree(30)  
## similar to 'ggtree(tree) + geom_tippoint()'  
ggtree(tree) + geom_point(data = td_filter(isTip))  
  
## End(Not run)
```

td_mutate	<i>td-mutate</i>
-----------	------------------

Description

mutate data for tree annotation layer

Usage

```
td_mutate(..., .f = NULL)
```

Arguments

... additional parameters that pass to `dplyr::mutate`
.f a function (if any, defaults to `NULL`) that pre-operate the data

Details

The `'td_mutate()'` function returns another function that can be used to mutate `ggtree()` plot data. The function can be passed to the `'data'` parameter of geom layer to perform adding new variables and preserving existing ones.

Value

A function to mutate `ggtree` plot data

See Also

[mutate](#)

td_unnest	<i>td-unnest</i>
-----------	------------------

Description

flattens a list-column of data frame

Usage

```
td_unnest(cols, ..., .f = NULL)
```

Arguments

cols columns to unnest
... additional parameters that pass to `tidyr::unnest`
.f a function (if any, defaults to `NULL`) that pre-operate the data

Details

The 'td_unnest' function returns another function that can be used to unnest ggtree() plot data. The function can be passed to the 'data' parameter of a geom layer to flatten list-column tree data.

Value

A function to unnest ggtree plot data

Author(s)

Guangchuang Yu

References

For demonstration of this function, please refer to chapter 12.5.2 of *Data Integration, Manipulation and Visualization of Phylogenetic Trees* <http://yulab-smu.top/treedata-book/index.html> by Guangchuang Yu.

See Also

[unnest](#)

theme_blinds

the theme of blind-like

Description

the theme of blind-like

Usage

```
theme_blinds(colour = c("white", "grey"), axis = "y", ...)
```

Arguments

colour the colour of rectangular, default is c('white', 'grey60').
axis character which grid of axis will be filled, default is 'y'.
... additional parameters that passed to theme function.

Value

ggplot2 theme

Examples

```
library(ggplot2)
iris |> tidyr::pivot_longer(
  cols = !Species,
  names_to = 'var',
  values_to = 'value'
) |>
ggplot(
  aes(x=var, y=Species, color=value, size=value)
) +
geom_point() -> p
p +
theme_blinds(
  colour = c('grey90', 'white'),
  axis = 'y',
  axis.line.y=element_line()
)
p +
theme_blinds(
  colour = c('grey90', 'white'),
  axis = 'x',
  axis.line.x = element_line()
)
```

theme_fp

theme_fp

Description

theme format painter

Usage

```
theme_fp(x, i)
```

Arguments

x ggplot object to provide theme format
i the element of a theme provided by x

Details

It applies theme element (i) from a ggplot (x) to another ggplot object

Value

theme element

Author(s)

Guangchuang Yu and Shuangbin Xu

theme_nothing	<i>theme_nothing</i>
---------------	----------------------

Description

A theme that only show the plot panel

Usage

```
theme_nothing(base_size = 11, base_family = "")
```

Arguments

base_size	font size
base_family	font family

Value

ggplot2 theme

Author(s)

Guangchuang Yu

theme_noxaxis	<i>theme_noxaxis</i>
---------------	----------------------

Description

A theme that only show y-axis

Usage

```
theme_noxaxis(color = "black", ...)
```

```
theme_noyaxis(color = "black", ...)
```

```
theme_noaxis(...)
```

Arguments

color	color of y-axis
...	additional parameters that passed to theme()

Value

ggplot2 theme

Author(s)

Guangchuang Yu

theme_no_margin *theme_no_margin*

Description

A theme that has no margin

Usage

theme_no_margin(...)

Arguments

... additional parameters that passed to theme()

Value

ggplot2 theme

Author(s)

Guangchuang Yu

theme_stamp *the theme of blind-like alias of theme_blinds*

Description

the theme of blind-like alias of theme_blinds

Usage

theme_stamp(colour = c("white", "grey"), axis = "y", ...)

Arguments

colour the colour of rectangular, default is c('white', 'grey60').

axis character which grid of axis will be filled, default is 'y'.

... additional parameters that passed to theme function.

theme_transparent	<i>theme_transparent</i>
-------------------	--------------------------

Description

transparent background theme

Usage

```
theme_transparent(...)
```

Arguments

... additional parameter to tweak the theme

Value

ggplot object

Author(s)

Guangchuang Yu with contributions from Hugo Gruson

volplot	<i>volplot</i>
---------	----------------

Description

volcano plot

Usage

```
volplot(data, mapping, log2FC_cutoff = 2, p_cutoff = 1e-05, ...)
```

Arguments

data	input data set
mapping	aesthetic mapping
log2FC_cutoff	cutoff values for log2FC
p_cutoff	cutoff values p-value or adjusted p-value
...	additional paramters passed to the 'geom_volpoint' layer

Value

a ggplot

yrange *plot range of a ggplot object*

Description

extract x or y ranges of a ggplot

Usage

```
yrange(gg, type = "limit", region = "panel")
```

```
xrange(gg, type = "limit", region = "panel")
```

```
ggrange(gg, var, type = "limit", region = "panel")
```

Arguments

gg	a ggplot object
type	one of 'limit' or 'range', if 'region == "plot"', to extract plot limit or plot data range
region	one of 'panel' or 'plot' to indicate extracting range based on the plot panel (scale expand will be counted) or plot data (scale expand will not be counted)
var	either 'x' or 'y'

Value

range of selected axis

Author(s)

Guangchuang Yu

%<+% *%<+%*

Description

This operator attaches annotation data to a ggtree or ggsc graphic object

Usage

```
p %<+% data
```

Arguments

<code>p</code>	ggplot2 object, such as <code>ggtree</code> or <code>ggsc</code> graphic object.
<code>data</code>	<code>data.frame</code> , which must contains a column of node, or the first column of taxa labels, when <code>p</code> is a <code>ggtree</code> object. Or it must contains columns of <code>.BarcodeID</code> , when <code>p</code> is a <code>ggsc</code> object and <code>p\$data</code> does not contain a column of features, if it contains, the data must also contains a column of features.

Value

ggplot object with annotation data added

Index

`%<+%`, 23

`element_blinds`, 2
`element_roundrect`, 3

`facet_set`, 4
`filter`, 16

`geom_cake`, 5
`geom_scatter_rect`, 5
`geom_segment`, 7
`geom_segment_c`, 6
`geom_triangle`, 8
`geom_volpoint`, 8
`get_aes_var`, 9
`get_legend`, 10
`get_plot_data`, 10
`ggbreak2ggplot`, 11
`gglegend`, 11
`ggrange (yrange)`, 23

`identify.gg`, 12
`is.ggbreak`, 13
`is.ggtree`, 13

`keybox`, 14

`mutate`, 17

`set_font`, 14
`set_point_legend_shape`, 15

`td_filter`, 16
`td_mutate`, 17
`td_unnest`, 17
`theme_blinds`, 18
`theme_fp`, 19
`theme_no_margin`, 21
`theme_noaxis (theme_noxaxis)`, 20
`theme_nothing`, 20
`theme_noxaxis`, 20

`theme_noyaxis (theme_noxaxis)`, 20
`theme_stamp`, 21
`theme_transparent`, 22

`unnest`, 18

`volplot`, 22

`xrange (yrange)`, 23

`yrange`, 23